Manitoba

**Health**
Health and Healthy Living
Public Health Division
Communicable Disease Control Branch
Fourth Floor, 300 Carlton Street
Winnipeg MB R3B 3M9
CANADA
Telephone: 204-788-6734
Fax: 204-948-2040

**Santé**
Santé et Vie saine
Division de la santé publique
Prévention des maladies transmissibles
300, rue Carlton, 4e étage
Winnipeg MB R3B 3M9
CANADA
Téléphone : 204-788-6734
Télécopieur : 204-948-2040

Dear Colleague,

Please find attached the Summary of Communicable Diseases for the month of February 2008. This information includes the number of reported cases of notifiable communicable diseases for which individuals in Manitoba tested positive* on laboratory samples and/or clinical reports, during the month of February 2008.

## Communicable Diseases

In total, there were **387** new infections occurring across 30 communicable diseases** (excluding sexually transmitted infections and HIV) in February 2008. The observed numbers of cases were within the statistically expected range for all of the reported communicable diseases with the exception of the following diseases:

- Diphtheria – 1 throat specimen reported, 0 cases expected
- Hepatitis B – 2 cases reported, 0-1 cases expected
- Malaria – 2 cases reported, 0-1 cases expected

The expected number of cases and accompanying range is based on the statistical number of cases during January, February and March, 2003-2008.

Diphtheria is uncommon in Manitoba. Routine immunization is offered to prevent and control disease. Malaria is a travel related disease and is not endemic in temperate zone countries such as Canada.

MRSA positive results within Manitoba include both individuals who are symptomatic of infection and colonized individuals, who have no symptoms and are found with admission screening activities at facilities. If facilities increase their screening activities, it would result in a rise in colonized MRSA cases. Together MRSA and *Clostridium difficile* accounted for 53% of all non-STI/HIV related communicable diseases reported to Manitoba Health and Healthy Living. *C. difficile* cases tended to be concentrated in the 60+ age group, while cases of MRSA were reported in all age groups. Within January and February, the count of C. difficile cases in 2007 was 228, whereas in 2008 has been 147.

**Sexually Transmitted Infections & Blood-Borne Pathogens**

There were **614** cases of sexually transmitted infections (chlamydia, gonorrhoea, and syphilis) in December:

- 503 cases of chlamydia (Ct)
- 49 cases of gonorrhoea (GC)
- 61 co-infections of Ct and GC and
- 1 case of syphilis

Forty-three percent of all GC and Ct cases in the province were reported among females of age group 15-24 years. 52% all Ct cases were reported for individuals living in the Winnipeg Health Region and an additional 20% were from the Burntwood Health Region.

In February, 34 individuals tested positive for Hepatitis C virus (HCV) in Manitoba. Seven Manitobans tested positive for HIV in January. A new case of HIV infection is defined as a positive test with a unique code that has not been previously associated with a positive test result in Manitoba. Six of the HIV cases reported in February were between 25 and 39 years of age and one case was between 50 and 59 years.

***Note**: Data for the monthly summary are aggregated based on the earliest of: symptom onset date, specimen collection date, or report date. For the majority of cases, the date used will be the specimen collection date.

****Note**: The following communicable diseases are reportable to the Director of Communicable Disease Control for surveillance purposes and are not referred out for public health follow-up:

- Ascariasis (ICD9: 127.0)
- Leishmaniasis – unspecified (ICD9: 085.9)
- Methicillin or vancomycin resistant *Staphylococcus aureus* (MRSA/VRSA) (ICD9 B95.6)
- Schistosomiasis (ICD9: 120)
- *Streptococcus pneumoniae* – other site (ICD9: 041.2)
- *Strongyloides* (ICD9: 127.2)
- Vancomycin resistant enterococci (VRE) (ICD9 B96.8)

The following communicable diseases are reportable to the Director of Communicable Disease Control for surveillance purposes and are referred out to public health for information only:

- Viral Meningitis – CoxSackie
- Viral Meningitis – Echo
- Viral Meningitis – Entero
- Viral Meningitis – H. simplex (Epstein Barr, CSF only)

All other diseases are referred out for further public health follow-up and investigation

Please feel free to contact me should you have any questions about this report.

Thank you.

Sincerely,

*Myrna Dyck* BN, MSc
Epidemiologist, Communicable Diseases
Public Health Surveillance System
Manitoba Health and Healthy Living

## SUMMARY OF COMMUNICABLE DISEASE FOR February 2008

| ICD9 | DISEASE/INFECTION | MONTHLY TOTAL | | | | YEAR-TO-DATE | |
|---|---|---|---|---|---|---|---|
| | | 2007 | 2008 | Expected* | Ex. Range** | 2007 | 2008 |
| 006.9 | AMEBIASIS | 3 | 4 | 3 | 1-5 | 7 | 5 |
| 022 | ANTHRAX | | | | *** | | |
| 127.0 | ASCARIASIS | | | 0 | 0-0 | | |
| 005.8 | B. CEREUS | | | 0 | 0-0 | | |
| 320.0 | BAC. MENINGITIS - HAEM | | | 0 | 0-0 | | |
| 320.1 | BAC. MENINGITIS - PNEUM | 1 | | 0 | 0-1 | 1 | |
| 320.7 | BAC.MENINGITIS-LISTERIA | | | | *** | | |
| 116.0 | BLASTOMYCOSIS | 4 | 1 | | *** | 6 | 1 |
| 005.1 | BOTULISM | | | | *** | | |
| 023 | BRUCELLOSIS | | | 0 | 0-0 | | |
| 005.2 | C. PERFRINGENS | | | 0 | 0-2 | 1 | |
| 008.43 | CAMPYLOBACTER | 8 | 17 | 13 | 5-21 | 25 | 30 |
| 558.2 | CLOSTRIDIUM DIFFICILE | 97 | 67 | | *** | 228 | 147 |
| 046.1 | CREUTZFELD-JACOB DISEASE | | | | *** | | |
| 007.8 | CRYPTOSPORIDIOSIS | 1 | 2 | 2 | 0-5 | 7 | 4 |
| 061.0 | DENGUE FEVER | | | 0 | 0-1 | | 1 |
| 065.4 | DENGUE HEMORRHAGIC FEVER | | | 0 | 0-0 | | |
| V02.4 | DIPH.CARRIERS | | | 0 | 0-0 | | |
| 032 | DIPHTHERIA CASES | | 1 | 0 | 0-0 | | 1 |
| 123.4 | DIPHYLLOBOTHRIUM SPP | | 1 | 0 | 0-1 | 1 | 1 |
| 008.0 | E. COLI-VEROTOXIGENIC | | 1 | 3 | 0-10 | 1 | 4 |
| 054.3 | ENCEPHALITIS | | | 0 | 0-0 | | |
| 005.9 | FOOD POISONING OTHER | | | 0 | 0-0 | | |
| 007.1 | GIARDIA LAMBLIA | 7 | 4 | 9 | 3-15 | 19 | 12 |
| 041.5 | H.I.B.-NON MTGS | | 1 | 0 | 0-2 | | 1 |
| 041.59 | HAEM. INFLUENZAE (non-B) | 2 | | | *** | 2 | 2 |
| 480.8 | HANTA VIRUS | | | 0 | 0-0 | | |
| 283.11 | HEMOLYTIC UREMIC SYNDROME | | | 0 | 0-1 | | |
| 070.1 | HEPATITIS A | 1 | 1 | 2 | 0-4 | 4 | 2 |
| 070.3 | HEPATITIS B | 1 | 2 | 0 | 0-1 | 1 | 2 |
| 070.51 | HEPATITIS C | 31 | 34 | 34 | 14-54 | 55 | 58 |
| 487.1A | INFLUENZA A | 30 | 43 | | *** | 47 | 56 |
| 487.1B | INFLUENZA B | | 14 | | *** | 1 | 19 |
| 482.83 | LEGIONELLA | | | 0 | 0-1 | | |
| 085.9 | LEISHMANIASIS | | | 0 | 0-0 | | |
| 030.9 | LEPROSY | | | 0 | 0-1 | | |
| 027.0 | LISTERIA MONOCYTOGENES | | 1 | 0 | 0-1 | | 2 |
| 088.81 | LYME DISEASE | | | 0 | 0-0 | | |
| 084 | MALARIA | | 2 | 0 | 0-1 | | 4 |
| 055.9 | MEASLES | | | 0 | 0-1 | | |
| 036.0 | MENINGOCOCCAL CSF | | | 1 | 0-2 | 1 | |
| 036.82 | MENINGOCOCCAL ARTHROPATHY | | | | *** | | |
| 036.2 | MENINGOCOCCEMIA BLOOD | | | 0 | 0-1 | | 1 |
| B95.6 | MRSA | 137 | 138 | 89 | 0-181 | 314 | 326 |
| 072.9 | MUMPS | | | 0 | 0-1 | | |
| 036.89 | N.MENINGITIDIS OTHER | | 1 | 0 | 0-1 | | 2 |
| 728.86 | NECROTIZING FASCIITIS | | 1 | 0 | 0-2 | | 1 |
| 729.1 | NECROTIZING MYOSITIS | | | | *** | | |
| 323.9 | OTHER ENCEPHALITIS | | | 0 | 0-0 | | |
| 033.1 | PARAPERTUSSIS | | | | *** | | |
| 033.0 | PERTUSSIS | | 6 | 3 | 0-9 | 2 | 7 |
| 038.2 | PNEUM. SEPTICEMIA | 16 | 9 | 7 | 0-15 | 22 | 21 |
| 073.9 | PSITTACOSIS | | | 0 | 0-0 | | |
| 083.0 | Q FEVER | | 1 | 0 | 0-1 | | 1 |

* Mean of 15 month totals, from previous, comparable and subsequent months for the past 5 years

** Mean +/- 2 standard deviations of mean

*** Data collected for less than 5 years.

| | | MONTHLY TOTAL | | | | YEAR-TO-DATE | |
|---|---|---|---|---|---|---|---|
| ICD9 | DISEASE/INFECTION | 2007 | 2008 | Expected* | Ex. Range** | 2007 | 2008 |
| 056.9 | RUBELLA | | | 0 | 0-0 | | |
| 771.0 | RUBELLA CONGENTIAL | | | 0 | 0-0 | | |
| 041.2 | S.PNEUM.OTHER | 1 | | 1 | 0-4 | 1 | |
| 003.0 | SALMONELLA | 22 | 15 | 15 | 4-26 | 50 | 37 |
| 120 | SCHISTOSOMIASIS | | | 0 | 0-0 | | |
| 004 | SHIGELLOSIS | | 4 | 2 | 0-4 | 1 | 6 |
| 050.9 | SMALLPOX | | | | *** | | |
| 005.0 | STAPH FOOD POISON | | | 0 | 0-0 | | |
| 785.5 | STAPH TOXIC SHOCK | | 2 | | *** | | 2 |
| 481.9 | STREP PNEUMONIA - PR | | | 0 | 0-0 | | |
| 711.0 | STREP.PNEUM.ARTHRITIS | | | 0 | 0-0 | | |
| 580.0 | STREPT GLOMERULONEPHRITIS | | | 0 | 0-0 | | |
| 040.89 | STREPT TOXIC SHOCK | | | 0 | 0-1 | | |
| 481 | STREPTOCOCCUS PNEUMONIAE | 1 | 1 | 0 | 0-1 | 1 | 1 |
| 127.2 | STRONGYLOIDES | 2 | | 0 | 0-2 | 4 | |
| 037 | TETANUS | | | 0 | 0-0 | | |
| 130.9 | TOXOPLASMOSIS | | | 0 | 0-1 | | |
| 124 | TRICHINOSIS | | | 0 | 0-0 | | |
| 086 | TRYPANOSOMA CRUZI | | | 0 | 0-0 | | |
| 013 | TUBERCULOSIS - NON-RESP. | | 1 | 2 | 0-5 | 3 | 3 |
| 011 | TUBERCULOSIS - RESP. | 9 | 9 | 7 | 3-11 | 14 | 12 |
| 010 | TUBERCULOSIS-PRIM. | 1 | | 1 | 0-6 | 1 | |
| 021.9 | TULAREMIA | | | 0 | 0-0 | | |
| 002.0 | TYPHOID | | | 0 | 0-0 | | |
| 081.9 | TYPHUS | | | 0 | 0-0 | | |
| B96.8 | VANCOMYCIN R. ENTEROCOCCI | 7 | 3 | | *** | 11 | 8 |
| 005.4 | VIBRIO PARAHAEMOLYTICUS | | | | *** | | |
| 070.59 | VIRAL HEP. OTHER | | | | *** | | |
| B95.7 | VRSA | | | 0 | 0-0 | | |
| 062.1 | W. EQUINE ENCEPHALITIS | | | 0 | 0-0 | | |
| 196 | WNV ASYMPTOMATIC INFECTION | | | | *** | | |
| 198 | WNV NEUROLOGICAL SYNDROME | | | | *** | | |
| 197 | WNV NON-NEUROLOGICAL SYND | | | | *** | | |
| 066.3 | WNV UNCLASSIFIED | | | | *** | | |
| 008.44 | YERSINIA ENTEROCOLITICA | 2 | | 1 | 0-3 | 3 | |
| | | **384** | **387** | | | **834** | **780** |

* Mean of 15 month totals, from previous, comparable and subsequent months for the past 5 years

** Mean +/- 2 standard deviations of mean

*** Data collected for less than 5 years.

## SUMMARY OF COMMUNICABLE DISEASE BY AGE AND GENDER FOR February 2008

| | | <1 | | 1 - 4 | | 5 - 9 | | 10 - 14 | | 15 - 19 | | 20 - 24 | | 25 - 29 | | 30 - 39 | | 40 - 49 | | 50 - 59 | | 60 - 69 | | 70 - 79 | | 80 + | | Missing | Total |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ICD9 | Disease Name | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | age/gendr | |
| 006.9 | AMEBIASIS | | | | | 1 | | | 1 | | | | | | | | 1 | | | | | | | 1 | | | | | 4 |
| 116.0 | BLASTOMYCOSIS | | | | | | | | | | | | | | | | | | | | | | 1 | | | | | | 1 |
| 008.43 | CAMPYLOBACTER | | 1 | | 1 | 1 | | | 1 | 1 | 1 | | 1 | 1 | 1 | 2 | 2 | 1 | 1 | | 1 | 1 | | | | | | | 17 |
| 558.2 | CLOSTRIDIUM DIFFICILE | 1 | 1 | 1 | 1 | 1 | 2 | | | 1 | | 1 | 2 | | | | 4 | 2 | 2 | 4 | 5 | 1 | 4 | 8 | 2 | 13 | 11 | | 67 |
| 007.8 | CRYPTOSPORIDIOSIS | | | | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | 2 |
| 032 | DIPH. CASES | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | | 1 |
| 123.4 | DIPHYLLOBOTHRIUM | | | | | | | | | | | | | | | | | 1 | | | | | | | | | | | 1 |
| 008.0 | E.COLI 0157 | | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| 007.1 | GIARDIA LAMBLIA | | | | 1 | 1 | | | | | | | | | | | 2 | | | | | | | | | | | | 4 |
| 041.5 | HAEM.INFLUENZA B (not csf | | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| 070.1 | HEPATITIS A | | | | | | | | | | | 1 | | | | | | | | | | | | | | | | | 1 |
| 070.3 | HEPATITIS B | | | | | | | | | | | | 1 | | | | | | | 1 | | | | | | | | | 2 |
| 070.51 | HEPATITIS C | | | | | | | | | | | | 1 | 2 | 1 | | 4 | 2 | 10 | 3 | 6 | | 1 | 1 | 1 | | | 2 | 34 |
| 487.1A | INFLUENZA A | 4 | 8 | 2 | 1 | 3 | 4 | | | | 2 | 1 | 1 | | | 1 | 2 | 4 | | 2 | 1 | 1 | | 1 | | 3 | 2 | | 43 |
| 487.1B | INFLUENZA B | | 1 | | | 1 | 1 | | 1 | | | | | | | 1 | 1 | | 1 | 1 | | | | | 1 | 3 | 2 | | 14 |
| 027.0 | LISTERIA MONOCYTOGENES | | | | | | | | | | | | | | | | | | | | | | | 1 | | | | | 1 |
| 084 | MALARIA | | | | 1 | | | | | | | | | | | | 1 | | | | | | | | | | | | 2 |
| B95.6 | MRSA | 2 | 3 | 3 | 4 | 5 | 2 | 1 | 5 | 2 | 4 | 4 | 9 | 8 | 3 | 3 | 8 | 8 | 9 | 6 | 4 | 3 | 9 | 4 | 8 | 9 | 12 | | 138 |
| 728.86 | NECROTIZING FASCIITIS | | | | | | | | | | | | | | | | | | | 1 | | | | | | | | | 1 |
| 036.89 | NEISSERIA MGTS(0ther) | | | | | | | | | | | | | | | | | | 1 | | | | | | | | | | 1 |
| 033.0 | PERTUSSIS | 2 | 1 | | | 3 | | | | | | | | | | | | | | | | | | | | | | | 6 |
| 083.0 | Q. FEVER | | | | | | | | | | | | | | | | | | | | | | | | 1 | | | | 1 |
| 003.0 | SALMONELLA | | | | | | | | 1 | | 2 | 1 | 2 | | 1 | | 1 | 1 | 1 | | 1 | 1 | 1 | 1 | | 1 | | | 15 |
| 004 | SHIGELLOSIS | | 1 | | | | 2 | 1 | | | | | | | | | | | | | | | | | | | | | 4 |
| 785.5 | STAPHYLOCOCCUS AUREUS | | | | | | | | | | | | | | | | | 1 | | | 1 | | | | | | | | 2 |
| 481 | STREP. PNEUMONIAE PNEUMON | | | | | | | | | | | | 1 | | | | | | | | | | | | | | | | 1 |

| ICD9 | Disease Name | <1 | | 1 - 4 | | 5 - 9 | | 10 - 14 | | 15 - 19 | | 20 - 24 | | 25 - 29 | | 30 - 39 | | 40 - 49 | | 50 - 59 | | 60 - 69 | | 70 - 79 | | 80 + | | Missing ages/gendr | Total |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | | |
| 038.2 | STREP.PNEUMOCOCCAL SEPTIC | | | | | | | | | | | | 1 | | | | 1 | 1 | 2 | 1 | 2 | 1 | | | 1 | | | | 9 |
| 013 | TUBERCULOSIS - NON-RESP. | | | | | | | | | | | | | | | | | | | | | | | | 1 | | | | 1 |
| 011 | TUBERCULOSIS - RESP. | | | | | | | | | | | | | | | 2 | 3 | 2 | 1 | | | | 1 | | | | | | 9 |
| B96.8 | VANCOMYCIN RES. ENTER. | | | | | | | | | | | | | | | | | | | 1 | | 1 | | | 1 | | | | 3 |
| | | 9 | 16 | 6 | 12 | 17 | 11 | 2 | 9 | 4 | 9 | 8 | 19 | 11 | 6 | 9 | 30 | 23 | 28 | 20 | 21 | 9 | 17 | 17 | 15 | 30 | 27 | | 387 |

## SUMMARY OF COMMUNICABLE DISEASE BY REGION (RHA) FOR February 2008

| ICD9 | Disease/Infection | Winnipeg | Brandon | N.Eastman | | S.Eastman | | Interlake | | Central | | Assiniboine | | Parkland | | Norman | | Burntwood | | Churchill | OOP | Missing | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| *Case Referred to:** | | | | *F* | *P* | *F* | *P* | *F* | *P* | *F* | *P* | *F* | *P* | *F* | *P* | *F* | *P* | *F* | *P* | | | | |
| 006.9 | AMEBIASIS | 3 | | | | | | | 1 | | | | | | | | | | | | | | 4 |
| 116.0 | BLASTOMYCOSIS | 1 | | | | | | | | | | | | | | | | | | | | | 1 |
| 008.43 | CAMPYLOBACTER | 5 | 1 | | 1 | | 5 | | 2 | | 2 | | | | 1 | | | | | | | | 17 |
| 558.2 | CLOSTRIDIUM DIFFICILE | 40 | 4 | | 2 | | 2 | | 4 | | 4 | | 3 | | 3 | | 2 | | 2 | | | 1 | 67 |
| 007.8 | CRYPTOSPORIDIOSIS | | | | | | | | | | | | | | | | 1 | 1 | | | | | 2 |
| 032 | DIPH. CASES | | | | | | | | 1 | | | | | | | | | | | | | | 1 |
| 123.4 | DIPHYLLOBOTHRIUM | | | | | | | | | | | | | | | | 1 | | | | | | 1 |
| 008.0 | E.COLI 0157 | | | | | | | | | | 1 | | | | | | | | | | | | 1 |
| 007.1 | GIARDIA LAMBLIA | 3 | 1 | | | | | | | | | | | | | | | | | | | | 4 |
| 041.5 | HAEM.INFLUENZA B (not csf | 1 | | | | | | | | | | | | | | | | | | | | | 1 |
| 070.1 | HEPATITIS A | | 1 | | | | | | | | | | | | | | | | | | | | 1 |
| 070.3 | HEPATITIS B | 1 | | | | | | | 1 | | | | | | | | | | | | | | 2 |
| 070.51 | HEPATITIS C | 21 | 1 | | 1 | | | 1 | 4 | | 2 | | 1 | | 1 | | 1 | 1 | | | | | 34 |
| 487.1A | INFLUENZA A | 16 | | 1 | 3 | | 1 | | 5 | | 3 | | 7 | | 1 | | 1 | 3 | 2 | | | | 43 |
| 487.1B | INFLUENZA B | 7 | | | | | 1 | | | | 2 | | 3 | | | | | | 1 | | | | 14 |
| 027.0 | LISTERIA MONOCYTOGENES | 1 | | | | | | | | | | | | | | | | | | | | | 1 |
| 084 | MALARIA | 2 | | | | | | | | | | | | | | | | | | | | | 2 |
| B95.6 | MRSA | 48 | 4 | 1 | | | 1 | | 6 | | 3 | 1 | 6 | | 3 | 6 | 8 | 33 | 17 | | 1 | | 138 |
| 728.86 | NECROTIZING FASCIITIS | 1 | | | | | | | | | | | | | | | | | | | | | 1 |
| 036.89 | NEISSERIA MGTS(Other) | | | | | | | | | | 1 | | | | | | | | | | | | 1 |
| 033.0 | PERTUSSIS | 3 | | | | | | | | | | | | | | 1 | | 1 | 1 | | | | 6 |
| 083.0 | Q. FEVER | 1 | | | | | | | | | | | | | | | | | | | | | 1 |
| 003.0 | SALMONELLA | 6 | | | 1 | | | | | | 5 | | 1 | | 2 | | | | | | | | 15 |
| 004 | SHIGELLOSIS | 4 | | | | | | | | | | | | | | | | | | | | | 4 |
| 785.5 | STAPHYLOCOCCUS AUREUS | 2 | | | | | | | | | | | | | | | | | | | | | 2 |
| 481 | STREP. PNEUMONIAE PNEU MON | 1 | | | | | | | | | | | | | | | | | | | | | 1 |
| 038.2 | STREP.PNEUMOCOCCAL SE PTIC | 4 | | | | | | | 1 | | | | | | | | 1 | 1 | 2 | | | | 9 |
| 013 | TUBERCULOSIS - NON-RESP. | | | | | | | | | | | | | | | 1 | | | | | | | 1 |
| 011 | TUBERCULOSIS - RESP. | 3 | | | | | | | | | | | | | | | 1 | 5 | | | | | 9 |

* F=Federal Jurisdiction (includes First Nations and Inuit Health Branch and Stony Mountain Penitentiary) P=Provincial Jurisdiction

| ICD9 | Disease/Infection | Winnipeg | Brandon | N.Eastman | | S.Eastman | | Interlake | | Central | | Assiniboine | | Parkland | | Norman | | Burntwood | | Churchill | OOP | Missing | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| *Case Referred to:** | | | | *F* | *P* | *F* | *P* | *F* | *P* | *F* | *P* | *F* | *P* | *F* | *P* | *F* | *P* | *F* | *P* | | | | |
| B96.8 | VANCOMYCIN RES. ENTER. | | | | | | | | 1 | | | | 1 | | 1 | | | | | | | | 3 |
| | | 174 | 12 | 2 | 8 | | 10 | 1 | 26 | | 23 | 1 | 22 | | 12 | 8 | 16 | 45 | 25 | | 1 | 1 | 387 |

* F=Federal Jurisdiction (includes First Nations and Inuit Health Branch and Stony Mountain Penitentiary) P=Provincial Jurisdiction

## STD Infection Summary Report - February 2008

| | MONTHLY TOTAL | | YEAR-TO-DATE | |
|---|---|---|---|---|
| **DISEASE/INFECTION** | **2007** | **2008** | **2007** | **2008** |
| All Chlamydia Infections | 353 | 564 | 776 | 1219 |
| All Gonorrhea Infections (including PRNG) | 83 | 110 | 204 | 257 |
| All Syphilis Infections | 3 | 1 | 6 | 6 |
| | | | | |
| Gonorrhea & Chlamydia Co-infections | 33 | 61 | 68 | 124 |
| Penicillin Resistant Gonorrhea Infections (PRNG) | | | | |
| Suspect PRNG | | | | |
| HIV | 6 | 7 | 14 | 13 |

## Total Number of STD Cases by Age and Gender - February 2008

| | <1 | | 1 - 4 | | 5 - 9 | | 10 - 14 | | 15 - 19 | | 20 - 24 | | 25 - 29 | | 30 - 39 | | 40 - 49 | | 50 - 59 | | 60 - 69 | | 70 - 79 | | 80 + | | Missing | Total |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Disease Name** | **F** | **M** | **F** | **M** | **F** | **M** | **F** | **M** | **F** | **M** | **F** | **M** | **F** | **M** | **F** | **M** | **F** | **M** | **F** | **M** | **F** | **M** | **F** | **M** | **F** | **M** | **age/gendr** | |
| Chlamydia Only Cases | | | | | | | 6 | 3 | 130 | 39 | 95 | 60 | 56 | 29 | 38 | 24 | 8 | 7 | 2 | 3 | | 3 | | | | | | 503 |
| Gonorrhea Only Cases | | | | | | | 1 | | 7 | 6 | 7 | 7 | 5 | 5 | 3 | 5 | | 1 | 1 | 1 | | | | | | | | 49 |
| Syphilis Only Cases | | | | | | | | | | | | | | | | | | | | | | 1 | | | | | | 1 |
| GC and CT Cases | | | | | | | | 1 | 12 | 3 | 14 | 6 | 7 | 4 | 4 | 5 | 3 | 1 | | | | 1 | | | | | | 61 |
| | | | | | | | 7 | 4 | 149 | 48 | 116 | 73 | 68 | 38 | 45 | 34 | 11 | 9 | 3 | 4 | | 5 | | | | | | 614 |
| HIV | | | | | | | | | | | | | 1 | 1 | 2 | 2 | | | | 1 | | | | | | | | 7 |

## Regional STD Distribution - February 2008

| **Disease/Infection** | **Winnipeg** | **Brandon** | **N.Eastman** | | **S.Eastman** | | **Interlake** | | **Central** | | **Assiniboine** | | **Parkland** | | **Norman** | | **Burntwood** | | **Churchill** | **OOP** | **Missing** | **TOTAL** |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ***Case Referred to:**** | | | ***F*** | ***P*** | ***F*** | ***P*** | ***F*** | ***P*** | ***F*** | ***P*** | ***F*** | ***P*** | ***F*** | ***P*** | ***F*** | ***P*** | ***F*** | ***P*** | | | | |
| All Chlamydia Infections | 291 | 24 | 12 | 6 | 2 | 7 | 3 | 22 | 3 | 24 | | 20 | 3 | 9 | 4 | 17 | 85 | 28 | | 4 | | 564 |
| All Gonorrhea Infections | 50 | 2 | 2 | | | 1 | | 2 | | 5 | | | | 3 | 1 | 3 | 30 | 9 | | 2 | | 110 |
| All Syphilis Infections | 1 | | | | | | | | | | | | | | | | | | | | | 1 |
| | | | | | | | | | | | | | | | | | | | | | | |
| GC and CT Infections | 21 | 2 | 1 | | | 1 | | 1 | | 2 | | | | | 1 | 2 | 23 | 7 | | | | 61 |

* F=Federal Jurisdiction (includes First Nations and Inuit Health Branch and Stony Mountain Penitentiary) P=Provincial Jurisdiction